

EXHIBITS

**Laboratory Medicine
Franklin Hospital
Franklin, Roosevelt 30640**

September 20, YR-5

E. L. Garfield
Medical Department
607 Building
Roe Chemical Company
Franklin, Roosevelt 30640

Dear Mr. Garfield,

Enclosed is a serum sample and an aliquot of a 24-hour urine on Mr. David Wilson, a 49- year- old male who has been exposed to dinitrobutyl phenol. On September 6th of this year, we sent you a serum and urine sample on this patient. The results appear to be presumptive evidence of previous toxic levels in his blood, and we would like to follow this up with a second sample.

The urine was collected with toluene as a preservative and the 24-hour volume was 1240 ml.

Thank you for your time.

Sincerely yours,

A handwritten signature in dark ink, appearing to read 'Tom McGee', with a long horizontal line extending from the end of the signature.

Tom McGee, M.D.

TM:dm

cc: Dr. William Jason

**Duckworth Pathology Group
Laboratory Medicine**

No. 71-11595


September 18, YR-5

PATHOLOGIST'S REPORT

ANALYSIS FOR 2-SEC BUTYL 4,6-DINITROPHENOL ("DINITRO")

1. Serum -4.3 microgram per ml
2. Urine -less than 1 microgram per ml

COMMENT: This analysis was performed at the Roe Chemical Corporation in Franklin, Roosevelt. Dr. Charles Kramer, from Roe, says that in their employees they try to maintain serum levels less than 4 microgram per ml. Increased blood levels typically cause a hypermetabolic stimulation which simulates a hyperthyroid state with increased body temperature, etc. The half-life of Dinitro in the human body is not known; however, Roe employees who develop the hypermetabolic state recover from the disorder in 8 to 10 days, usually. Since Mr. Wilson's exposure to the compound occurred approximately one month ago, the serum level of 4.3 micrograms per ml appears to be good presumptive evidence of previous toxic levels in his blood. A couple of case reports have been published of people developing peripheral neuropathy after significant exposures to chemicals similar to Dinitro.



Dr. Duckworth

cc: Dr. William J. Jason

ROE CHEMICAL COMPANY
Medical Department

October 1, YR-5


Tom McGee, M.D.
Department of Laboratory Medicine
Franklin Hospital Laboratory
Franklin, Roosevelt 30640

Dear Dr. McGee:

The serum and urine sample recently submitted for analysis for Dinitro is reported as having less than 1 microgram per liter in each of the two samples. The sensitivity of the analytical method does not extend below 1 microgram per liter. I am sure that you are aware of the icteric coloring of the serum specimen. If this color resulted from Dinitro, I am sure the serum level of this material would be extremely high.

We have not had any case reports of myopathy or peripheral neuropathy following exposure to Dinitro. Not surprisingly, there are also no epidemiological data suggesting an association between these chemicals and peripheral neuropathy and myopathy. I would be extremely interested in any facts on the case that you are at liberty to furnish me.

Sincerely,

A handwritten signature in cursive script, appearing to read "Harold L. Gordon", with a long horizontal flourish extending to the right.

Harold L. Gordon, M.D.
Roe Corporation Medical Director

cc: Dr. William Jason

September 24, YR-5

Dr. J. M. Weeks
188 S. Bellevue
Franklin, Roosevelt 30640

Dear Dr. Weeks:

I went to Dr. Jason as you suggested and thought maybe I should write you to tell you what he said.

Dr. Jason said considering the amount of Dinitro that I had in my blood that I was lucky to be here at all. He said it would have killed 99 out of 100 people. The experiments on the rats and mice killed a lot of them. It upset their metabolism and that because I had such a large dose that maybe I passed that level so quick that it saved my life. A few also died of cancer. This really has me worried.

Dr. Jason said that I had made some progress but that I had reached a plateau and that it would be at least two years from now before I would be able to do much of anything at all. Even then he said that I would never recover from the damage to my muscles and nerves. Who knows whether I'm developing cancer as I write to you?

Dr. Jason prescribed another form of cortisone and wants me to continue taking it for quite some time yet. He said it had given me a boost and if it were discontinued that I would go backward and become much weaker than I am now. He said that with the cortisone I could recover to the point that I would recover in three years, and without it, it would take eight or nine years.

He wants me to come back in six months.

Yours very truly,

A handwritten signature in black ink, appearing to read "David Wilson", written in a cursive style.

David Wilson

WILLIAM JASON, M.D.
12 N. Bellevue
Franklin, Roosevelt 30640
Phone 901/725-0011

November 2, YR-5

Dr. Harold L. Gordon, M.D.
Medical Director
Roe Chemical Company, Inc.
Franklin, Roosevelt 30640

RE: David Wilson

Dear Dr. Gordon:


In response to your letter dated October 1, YR-5, there are published case reports of people developing neurological symptoms following exposure to chemicals very similar to 2-Sec Butyl 4,6-dinitrophenol. There are also strong animal data, that Roe and others have developed, that prove that Dinitro can cause neuropathy and myopathy. I agree that there is no definitive proof of cause and effect from acute exposure to 2-Sec Butyl 4,6-DPN and myopathy and neuropathy. Perhaps if Roe had funded more research, definitive proof would be available. It is pretty evident that Roe Chemical Company and the chemical industry have not done a good job studying this toxic chemical.

There is no doubt that Mr. Wilson has peripheral neuropathy and severe myositis which developed soon after Dinitro absorbed into his skin. The objective evidence of myositis, neuropathy, and serum levels of Dinitro are closely correlated.

The myositis responded to the usual treatment, which is not specific but does indicate that the myositis was probably caused by a mechanism consistent with muscle inflammatory diseases. In other words, since the basic etiological agent is not known in any of the muscle inflammatory diseases known as myositis, it is entirely possible that the absorption of the chemical and high blood level produced the same mechanism as in any myositic condition.

Any question of the role of Dinitro in causing Mr. Wilson's myositis will have to be settled by debate since science has been unable to conclusively answer this question.

Sincerely yours,

A handwritten signature in dark ink, appearing to read 'W. Jason', written over a horizontal line.

Dr. William Jason, Jr.
Neurologist

Drs. Gotten, Hawkes, Tyrer & Ogle
Neurological Surgery
92 North Bellevue
Franklin, Roosevelt 30640

May 24, YR-6

Dr. J.M. Weeks
188 S. Bellevue
Franklin, Roosevelt 30640

Dear Dr. Weeks:

Thank you for the opportunity to see your patient, David Wilson, in neurosurgical consultation. I am including the report of my examination and opinion. Coincidentally, after agreeing to see him I found a note in our files reflecting a prior consultation with Dr. Perkins, the physician who previously operated this practice, in connection with symptoms suspected of being caused by exposure to chemicals in the Gulf War. The note merely reflected Mr. Wilson's inquiry concerning the symptoms of such exposure, with which Dr. Perkins was only slightly familiar. He apparently referred Mr. Wilson to the VA for further information and possible care.


David Wilson, informed me that on May 17, YR-6, he was struck on the head by his car door. He was not rendered unconscious, but he was dazed momentarily. He did not experience any subsequent headaches. The following morning, as he described it, he felt "funny" with recurrent feelings of dizziness and a peculiar sensation about his head. His worry immediately increased over the head injury he had had in the past, and as you know, he was taken to the hospital in Blytheville where he was observed for a short period without receiving definitive treatment. Currently, the patient states that he is feeling better although he continues to have recurrent dizzy spells. The patient says he is not prone to worry; however, he has a new wife, and in the past several days she has given him reason for concern on several occasions. Their relationship is rather stressful due to those issues and due to his son, from a prior marriage, in the house. In addition, he has been missing considerable sleep, and he feels this may in some way contribute to his present illness.

The neurological examination was entirely within normal limits. X-rays of the skull, obtained at the Methodist Hospital, were normal. An electroencephalogram did not reveal evidence of any abnormality.

It is my feeling that this is an emotional problem, and the symptoms he describes are primarily on the basis of an acute anxiety state. I do not feel that additional investigative studies are indicated at this time. I reassured the patient that there was no indication of any active disease of the nervous system, and both parties seemed relieved and satisfied with the treatment that they had received. I instructed the patient that if he had additional difficulty, he should return for reevaluation.

I also suggested he may wish to consider therapy or counseling, either individually, as a couple or as a family if these issues persist.

Sincerely yours,



William S. Ogle, M.D.

THE ROE CHEMICAL COMPANY, INC.
Franklin, Roosevelt 30640

Memorandum


To: Director of Marketing
From: Director of Operations
Re: Labeling for Dinitro
Date: March 15, YR-5

Thank you for your comments regarding your concerns about the possible adverse impact on sales of a change in the labeling of Dinitro. However, we have come to the conclusion that including specific language reflecting that the product can be fatal if absorbed through the skin is appropriate although not necessary as a safety consideration. This decision is not based on any new information in our possession concerning the toxicity of the product or the danger to users of the product. Rather, it is being made out of an excess of caution given the litigious nature of today's society and the willingness of plaintiffs' lawyers to take frivolous cases against manufacturers in the hope of extorting settlements out of them. Our prior customer contacts and history have shown us that few customers read the labels on these products and certainly don't do so after the first time they use our product.

Therefore, the labeling for all shipments as of July 1, YR-5 (the expected date by which the new labels will be available) will reflect this change. The new label will include the following language directly below the words "Danger - Poison" and the skull and crossbones:

KEEP OUT OF REACH OF CHILDREN AND FARM ANIMALS
MAY BE FATAL IF SWALLOWED OR ABSORBED THROUGH THE SKIN

[Part of paint advertisements published by defendant before 8/6/YR-6 and furnished to plaintiffs in discovery.]



How to apply

To preserve a height differential between beans and weeds, the directed spray should be applied as soon as possible after the soybean plants are 5 inches tall. If treatment is delayed more than a few days, the weeds will catch up. The treatment can be repeated once or twice at 7- to 14-day intervals if necessary to control late-germinating weeds. Do not use after soybeans begin to bloom.

Plan your weed control program around PREMIERGE . . . It pays

A directed spray application of PREMIERGE costs only about 70¢ an acre. For this small investment you get positive control of the worst weed pests—cocklebur, annual morning glory, coffeeweed, pigweed and many other broadleaved weeds such as velvetleaf, common ragweed, smartweed.

Good weed control coupled with good fertility and management can increase soybean yields 20 or more bushels per acre. Growing weeds costs money—money you can save by using dependable economical PREMIERGE dinitro weed killer.

SOYBEANS SHOULD NOT BE GRAZED OR USED FOR FORAGE WITHIN THREE WEEKS AFTER APPLYING A POSTEMERGENCE SPRAY.

WARNING: Before using PREMIERGE dinitro weed killer, read and observe all the precautions given on the label.



POISON

DANGER

ABSORBED THROUGH THE SKIN

- MAY BE FATAL IF SWALLOWED

Do Not Get in Eyes, on Skin, on Clothing • Avoid Breathing Spray Drift • Do Not Take Internally • Do Not Wear Contaminated Clothing or Shoes • Keep Away from Heat and Open Flame • Keep Out of Reach of Children and Farm Animals

FIRST AID TREATMENT—ANTIDOTE

SYMPTOMS OF POISONING. Excessive Fatigue. Sweating. Thirst and Fever. If symptoms of poisoning develop from any type of exposure, SEND FOR A PHYSICIAN.

FIRST AID: Have patient lie quiet in coolest spot available. If feverish, cool with cold compresses or by immersion in cool water.

If Swallowed, SEND FOR A PHYSICIAN. Induce vomiting by giving an emetic such as two tablespoonfuls of table salt in a glass of warm water; repeat until vomit fluid is clear, then give two teaspoonfuls of baking soda in a glass of warm water. Treat as in FIRST AID, above.

If Splashed in Eyes, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention. If Spilled on Skin, immediately remove contaminated clothing, including shoes, and wash skin with soap and plenty of water. If symptoms of poisoning develop, send for a physician and treat as in FIRST AID, above. Discard contaminated clothing and shoes or clean them thoroughly before re-use. NOTE TO ATTENDING PHYSICIAN: Active ingredient is a metabolic stimulant. Treat symptomatically.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

[Part of paint advertisements published by defendant before 8/6/YR-6 and furnished to plaintiffs in discovery.]



Gives you the upper hand on broad-leaved weeds in soybeans

NOTE: PREMERGE may be fatal if swallowed or absorbed through the skin. Avoid breathing spray drift, and do not wear contaminated clothing or shoes. Read carefully and observe the warnings and precautions on the container label.

Keep out of reach of children and farm animals.



UNITED STATES DEPARTMENT OF AGRICULTURE
Agricultural Research Service
Pesticides Regulation Division
Washington, D.C. 20250

Roe Chemical Company
P. O. 1984
Eleanor, Roosevelt 01932

Attention: Mr. O. H. Hammer

Gentlemen:

Subject: PREMERGE
 USDA Reg. No. 98765-A



This is in reply to your letter of October 28, YR-37, informing us of the change in formulation for the above product.

It is our understanding that this product under the new formula is to replace the old product accepted for registration on October 29, YR-37. The Regulations for the Enforcement of the Act provide that after the effective date of a change in claims or formula the product shall be marked only under new claims or formula, except that a reasonable time may be permitted to dispose of properly labeled stock or old products.


Sincerely yours,

Cathy Johnson
Assistant Director
For Registration

Labeling on can sold to Wilson



Labeling on can sold to Wilson

DANGER  **POISON**

KEEP OUT OF REACH OF CHILDREN AND FARM ANIMALS
MAY BE FATAL IF SWALLOWED

Do Not Get in Eyes, on Skin, on Clothing • Contents May Be
 Absorbed Through the Skin • Do Not Take Internally
 Avoid Breathing Spray Mist • Keep Away from
 Heat and Open Flames
 Do Not Wear Contaminated Clothing or Shoes

Wear suitable protective equipment such as chemical workers' goggles, rubber or plastic gloves and rubber or plastic apron while pouring and transferring the concentrated product and at other times when contact is likely. Wear protective clothing such as long-sleeved shirt and long-legged pants or coveralls while mixing and spraying. To avoid breathing spray mist, wear a mask or respirator of a type recommended by the U.S. Bureau of Mines. Keep respirator clean - wash thoroughly and change cartridge as needed.



FIRST AID TREATMENT - ANTIDOTE

SYMPTOMS OF POISONING: Excessive Fatigue, Sweating, Thirst and Fever. If symptoms of poisoning develop from any type of exposure, **SEND FOR A PHYSICIAN.** **FIRST AID:** Have patient lie quiet in coolest spot available. If feverish, cool with cold compresses or by immersion in cool water. If Swallowed, **SEND FOR A PHYSICIAN.** Induce vomiting by giving an emetic such as two tablespoonfuls of table salt in a glass of warm water; repeat until vomit fluid is clear, then give two tablespoonfuls of baking soda in a glass of water. Treat as in **FIRST AID**, above. If Splashed In Eyes, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention. If Spilled on Skin, immediately remove contaminated clothing, including shoes, and wash skin with soap and plenty of water. If symptoms of poisoning develop, send for a physician and treat as in **FIRST AID**, above. Discard contaminated clothing and shoes, or clean them thoroughly before re-use. **NOTE TO ATTENDING PHYSICIAN:** Active ingredient is a metabolic stimulant. Treat symptomatically.

DANGER

ABSORBED THROUGH THE SKIN • MAY BE FATAL IF SWALLOWED

Do Not Get in Eyes, on Skin, on Clothing • Avoid Breathing Spray Drift
 •Do Not Take Internally • Do Not Wear Contaminated Clothing or Shoes
 •Keep Away from Heat and Open Flame
 •Keep Out of Reach of Children and Farm Animals

FIRST AID TREATMENT  **POISON**  **ANTIDOTE**

SYMPTOMS OF POISONING: Excessive Fatigue, Sweating, Thirst and Fever. If symptoms of poisoning develop from any type of exposure, **SEND FOR A PHYSICIAN.**

FIRST AID: Have patient lie quiet in coolest spot available. If feverish, cool with cold compresses or by immersion in cool water.

If Swallowed, **SEND FOR A PHYSICIAN.** Induce vomiting by giving an emetic such as 2 tablespoonfuls of table salt in a glass of warm water; repeat until vomit fluid is clear, then give two teaspoonfuls of baking soda in a glass of warm water. Treat as in **FIRST AID**, above.

If Splashed In Eyes, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention. If Spilled on Skin, immediately remove contaminated clothing, including shoes, and wash skin with soap and plenty of water. If symptoms of poisoning develop, send for a physician and treat as in **FIRST AID**, above. Discard contaminated clothing and shoes, or clean them thoroughly before re-use. **NOTE TO ATTENDING PHYSICIAN:** Active ingredient is a metabolic stimulant. Treat symptomatically.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

Labeling on can sold to Wilson

PRECAUTIONARY STATEMENTS

ENVIRONMENTAL HAZARDS: This chemical is toxic to birds. Do not apply directly to water or wetlands. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of waste. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting treatment area.

PHYSICAL OR CHEMICAL HAZARDS: Do not use or store near heat or open flame.


DIRECTION FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS. Dinitro is registered as a herbicide, desiccant, fungicide and insecticide. The principal use of Dinitro is to control broadleaf weeds as a contact herbicide at preemergence and postemergence. Dinitro has been shown to be effective for positive control of the worst weed pests-cocklebur, annual morning glory, coffee weed, pig weed and many other broadleaved weeds such as velvetleaf, common ragweed and smartweed. Other major uses of Dinitro are to control fungus and to desiccate vegetation before harvest. Dinitro may be applied as a selective weed killer in field crops and pastures, or as a contact herbicide in such locations as roadsides and right-of-ways. Dinitro has been shown to be effective as a herbicide, desiccant and fungicide on the following crops: soy beans and peanuts, cotton, snap beans, potatoes, green peas, grapes, alfalfa, almonds, walnuts, berries (including blueberry, blackberry, currant, raspberry, boysenberry, gooseberry, loganberry and strawberry), hops and for such ornamental shrubs as ligustrum, lilac, spirea and yew. It may also be used for multiple purposes during the fall and winter months on a large number and variety of agricultural sites and non-agricultural sites, including forage legumes, small grains, fruit and nut orchards, berries, cucurbits, grapes, hops, potatoes, beans, onions, garlic, ornamentals, conifers and non-crop areas. To apply, mix 2 fluid ounces of Dinitro to 1 gallon of water. Mix thoroughly and spray entire plant foliage thoroughly with a hand held sprayer, tank-type or power sprayer.

STORAGE: Keep Dinitro in original container. Do not put concentrate or dilute into food or drink containers. Avoid contamination of feed and food stuffs. Store in a cool, dry place, preferably in a locked storage area. Do not store diluted spray.

DISPOSAL: PRODUCT-Partially filled bottle may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash. **CONTAINER-**Do not reuse empty bottle. Rinse thoroughly before discarding in trash.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty or any other warranty of **MERCHANTABILITY** or **FITNESS FOR A PARTICULAR PURPOSE**, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.



For the year Jan. 1–Dec. 31, **YR-6**, or other tax year beginning . 2013, ending . 20

Your first name and initial **David O.** Last name **Wilson** See separate instructions.
Your social security number
1 2 3 4 5 6 7 8 9

If a joint return, spouse's first name and initial **Debra B.** Last name **Wilson** Spouse's social security number
9 8 7 6 5 4 3 2 1

Home address (number and street). If you have a P.O. box, see instructions. **456 County Road** Apt. no. **▲** Make sure the SSN(s) above and on line 6c are correct.

City, town or post office, state, and ZIP code. If you have a foreign address, also complete spaces below (see instructions).
Franklin, Roosevelt 12345

Foreign country name Foreign province/state/country Foreign postal code

Filing Status 1 ☐ Single 4 ☐ Head of household (with qualifying person). (See instructions.) If the qualifying person is a child but not your dependent, enter this child's name here. **2** ☒ Married filing jointly (even if only one had income) 5 ☐ Qualifying widow(er) with dependent child
3 ☐ Married filing separately. Enter spouse's SSN above and full name here. **▲** Check only one box.

Exemptions 6a ☒ Yourself. If someone can claim you as a dependent, do not check box 6a. 2
b ☒ Spouse
c Dependents:
(1) First name Last name (2) Dependent's social security number (3) Dependent's relationship to you (4) ☐ if child under age 17 qualifying for child tax credit (see instructions)
If more than four dependents, see instructions and check here ☐ **2**
d Total number of exemptions claimed
Add numbers on lines above **2**

Income 7 Wages, salaries, tips, etc. Attach Form(s) W-2 7 60,000
8a Taxable interest. Attach Schedule B if required 8a
b Tax-exempt interest. Do not include on line 8a 8b
9a Ordinary dividends. Attach Schedule B if required 9a
b Qualified dividends 9b
10 Taxable refunds, credits, or offsets of state and local income taxes 10
11 Alimony received 11
12 Business income or (loss). Attach Schedule C or C-EZ 12
13 Capital gain or (loss). Attach Schedule D if required. If not required, check here ☐ 13
14 Other gains or (losses). Attach Form 4797 14
15a IRA distributions 15a b Taxable amount 15b
16a Pensions and annuities 16a b Taxable amount 16b
17 Rental real estate, royalties, partnerships, S corporations, trusts, etc. Attach Schedule E 17
18 Farm income or (loss). Attach Schedule F 18
19 Unemployment compensation 19
20a Social security benefits 20a b Taxable amount 20b
21 Other income. List type and amount 21
22 Combine the amounts in the far right column for lines 7 through 21. This is your total income **▲** 22 60,000

Adjusted Gross Income 23 Educator expenses 23
24 Certain business expenses of reservists, performing artists, and fee-basis government officials. Attach Form 2106 or 2106-EZ 24
25 Health savings account deduction. Attach Form 8889 25
26 Moving expenses. Attach Form 3903 26
27 Deductible part of self-employment tax. Attach Schedule SE 27
28 Self-employed SEP, SIMPLE, and qualified plans 28
29 Self-employed health insurance deduction 29
30 Penalty on early withdrawal of savings 30
31a Alimony paid b Recipient's SSN **▲** 31a
32 IRA deduction 32
33 Student loan interest deduction 33
34 Tuition and fees. Attach Form 8917 34
35 Domestic production activities deduction. Attach Form 8903 35
36 Add lines 23 through 35 36
37 Subtract line 36 from line 22. This is your adjusted gross income **▲** 37 60,000

Tax and Credits

Standard Deduction for—

- People who check any box on line 39a or 39b or who can be claimed as a dependent, see instructions.
- All others:
 - Single or Married filing separately, \$6,100
 - Married filing jointly or Qualifying widow(er), \$12,200
 - Head of household, \$8,950

38	Amount from line 37 (adjusted gross income)	38	60,000
39a	Check <input type="checkbox"/> You were born before January 2, 1949, <input type="checkbox"/> Blind. <input type="checkbox"/> Spouse was born before January 2, 1949, <input type="checkbox"/> Blind. Total boxes checked <input checked="" type="checkbox"/> 39a		
b	If your spouse itemizes on a separate return or you were a dual-status alien, check here <input type="checkbox"/> 39b		
40	Itemized deductions (from Schedule A) or your standard deduction (see left margin)	40	12,200
41	Subtract line 40 from line 38	41	48,800
42	Exemptions. If line 38 is \$150,000 or less, multiply \$3,900 by the number on line 6d. Otherwise, see instructions	42	7,800
43	Taxable income. Subtract line 42 from line 41. If line 42 is more than line 41, enter -0-	43	41,000
44	Tax (see instructions). Check if any from: a <input type="checkbox"/> Form(s) 8814 b <input type="checkbox"/> Form 4972 c <input type="checkbox"/>	44	5,261
45	Alternative minimum tax (see instructions). Attach Form 6251	45	
46	Add lines 44 and 45	46	
47	Foreign tax credit. Attach Form 1116 if required	47	
48	Credit for child and dependent care expenses. Attach Form 2441	48	
49	Education credits from Form 8863, line 19	49	
50	Retirement savings contributions credit. Attach Form 8880	50	
51	Child tax credit. Attach Schedule 8812, if required	51	
52	Residential energy credits. Attach Form 5695	52	
53	Other credits from Form: a <input type="checkbox"/> 3800 b <input type="checkbox"/> 8801 c <input type="checkbox"/>	53	
54	Add lines 47 through 53. These are your total credits	54	
55	Subtract line 54 from line 46. If line 54 is more than line 46, enter -0-	55	5,261

Other Taxes

56	Self-employment tax. Attach Schedule SE	56	
57	Unreported social security and Medicare tax from Form: a <input type="checkbox"/> 4137 b <input type="checkbox"/> 8919	57	
58	Additional tax on IRAs, other qualified retirement plans, etc. Attach Form 5329 if required	58	
59a	Household employment taxes from Schedule H	59a	
b	First-time homebuyer credit repayment. Attach Form 5405 if required	59b	
60	Taxes from: a <input type="checkbox"/> Form 8959 b <input type="checkbox"/> Form 8960 c <input type="checkbox"/> Instructions; enter code(s)	60	
61	Add lines 55 through 60. This is your total tax	61	5,261

Payments

If you have a qualifying child, attach Schedule EIC.

62	Federal income tax withheld from Forms W-2 and 1099	62	5,000
63	2013 estimated tax payments and amount applied from 2012 return	63	
64a	Earned income credit (EIC)	64a	
b	Nontaxable combat pay election 64b		
65	Additional child tax credit. Attach Schedule 8812	65	
66	American opportunity credit from Form 8863, line 8	66	
67	Reserved	67	
68	Amount paid with request for extension to file	68	
69	Excess social security and tier 1 RRTA tax withheld	69	
70	Credit for federal tax on fuels. Attach Form 4136	70	
71	Credits from Form: a <input type="checkbox"/> 2439 b <input type="checkbox"/> Resmed c <input type="checkbox"/> 8885 d <input type="checkbox"/>	71	
72	Add lines 62, 63, 64a, and 65 through 71. These are your total payments	72	5,000

Refund

Direct deposit? See instructions.

73	If line 72 is more than line 61, subtract line 61 from line 72. This is the amount you overpaid	73	
74a	Amount of line 73 you want refunded to you. If Form 8888 is attached, check here <input type="checkbox"/>	74a	
b	Routing number	c Type: <input type="checkbox"/> Checking <input type="checkbox"/> Savings	
d	Account number		
75	Amount of line 73 you want applied to your 2014 estimated tax	75	

Amount You Owe

76	Amount you owe. Subtract line 72 from line 61. For details on how to pay, see instructions	76	261
77	Estimated tax penalty (see instructions)	77	

Third Party Designee

Do you want to allow another person to discuss this return with the IRS (see instructions)? ☐ Yes. Complete below. ☐ No

Designee's name	Phone no.	Personal identification number (PIN)
-----------------	-----------	--------------------------------------

Sign Here

Joint return? See instructions. Keep a copy for your records.

Under penalties of perjury, I declare that I have examined this return and accompanying schedules and statements, and to the best of my knowledge and belief, they are true, correct, and complete. Declaration of preparer (other than taxpayer) is based on all information of which preparer has any knowledge.

Your signature	Date	Your occupation	Daytime phone number
Spouse's signature. If a joint return, both must sign.	Date	Spouse's occupation	If the IRS sent you an Identity Protection PIN, enter it here (see inst.)

Paid Preparer Use Only

Print/Type preparer's name	Preparer's signature	Date	Check <input type="checkbox"/> if self-employed
Firm's name	Firm's EIN	Phone no.	PTIN